# The Multi-Processor Scheduling Problem in Phylogenetics

Jiajie Zhang Graduate School for Computing in Medicine and Life Sciences, University of Lübeck Lübeck, Germany bestzhangjiajie@gmail.com

Abstract—Advances in wet-lab sequencing techniques allow for sequencing between 100 genomes up to 1000 full transcriptomes of species whose evolutionary relationships shall be disentangled by means of phylogenetic analyses. Likelihoodbased evolutionary models allow for partitioning such broad phylogenomic datasets, for instance into gene regions, for which likelihood model parameters (except for the tree itself) can be estimated independently. Present day phylogenomic datasets are typically split up into 1000-10,000 distinct partitions. While the likelihood on such datasets needs to be computed in parallel because of the high memory requirements, it has not yet been assessed how to optimally distribute partitions and/or alignment sites to processors, in particular when the number of cores is significantly smaller than the number of partitions. We find that, by distributing partitions (of varying lengths) monolithically to processors, the induced load distribution problem essentially corresponds to the well-known multiprocessor scheduling problem. By implementing the simple Longest Processing Time (LPT) heuristics in the PThreads and MPI version of RAxML-Light, we were able to accelerate run times by up to one order of magnitude. Other heuristics for multiprocessor scheduling such as improved MultiFit, improved Zero-One, or the Three Phase approach did not yield notable performance improvements.

Keywords-scheduling; RAxML-Light; phylogenetics;

### I. INTRODUCTION

The on-going accumulation of molecular sequence data that is driven by novel wet-lab techniques poses new challenges regarding the design of programs for phylogenetic inference that rely on computing the Phylogenetic Likelihood Function (PLF [1]) for reconstructing evolutionary trees. In all popular Maximum Likelihood (ML) and Bayesian phylogenetic inference programs, the PLF dominates both, the overall execution time as well as the memory requirements by typically 85% - 95% [2]. The PLF is relatively straightforward to parallelize by exploiting the fine-grain loop level parallelism in the PLF using, for instance, OpenMP, PThreads, CUDA, OpenCL, and MPI [3] [4].

To accommodate the increasing dataset sizes we have recently developed a dedicated light-weight, production-level, and checkpointable PThreads and MPI version of the widelyused RAxML code for ML-based phylogenetic inference that is called RAxML-Light (available at https://github.com/ stamatak/RAxML-Light-1.0.5). We are currently involved Alexandros Stamatakis The Exelixis Lab, Scientific Computing Group Heidelberg Institute for Theoretical Studies D-69118 Heidelberg, Germany Alexandros.Stamatakis@h-its.org

in a large sequencing and data analysis project that aims to reconstruct the phylogeny of 1000 insect transcriptomes (http://www.1kite.org). The preliminary scalability tests (using the MPI version of RAxML-Light) conducted for this project and the unprecedented data masses have given rise to the present work. Thus, program development and scalability is in a situation where it tries to catch up with the data.

While just a few years ago, phylogenomic datasets consisted of tens of genes, they now comprise hundreds or even thousands of genes. Thus, initially there were typically less partitions p than cores n available and measures needed to be taken to distribute the input alignment sites (regardless of the underlying model) in a cyclic round-robin fashion to obtain "good" load balance. This allowed for computing the likelihood of a tree with 10 partitions on a 48-core machine for instance. While the distribution strategy does not affect performance on unpartitioned datasets, it can, as we show, substantially influence performance on partitioned datasets. One of the main reasons for this is that, apart from computing the per-site log-likelihood scores, we also need to compute the transition probability matrices for each partition for each highly fine-grained parallel region of the code. Thus, when  $p \gg n$ , the ratio of the number of sites computed per calculation of the transition probability matrix (which is carried out locally on each core) becomes highly unfavorable. In other words, the local computations of the Pmatrix will dominate execution times. Hence, another data distribution strategy is required for phylogenomic datasets that minimizes the number of P matrix calculations per core and at the same time yields an approximately even distribution of alignment sites to all cores.

The remainder of this paper is organized as follows: In Section II we briefly discuss related work on algorithms for the multi-processor scheduling problem and on load balance in PLF computations. In Section III we describe the cyclic and monolithic data distribution approaches for computing the phylogenetic likelihood function in parallel. In the subsequent Section IV, we briefly describe the multiprocessor scheduling algorithms we have tested and adapted. Thereafter, (Section V) we discuss the experimental setup and the results. We conclude in Section VI.

#### II. RELATED WORK

### A. Algorithms for Multi-Processor Scheduling

The partition distribution problem we face is essentially equivalent to the multiprocessor scheduling problem that falls into the category  $P||C_{max}$  using the three-field classification scheme introduced by Graham et al. [5]. We want to assign p independent jobs to n identical cores,  $p > n \ge 2$ . Let  $C_i$  be the completion time of core  $M_i$ , then the goal is to minimize the maximum completion time (makespan)  $C_{max} = max\{C_i\}$ . The category of problems  $P||C_{max}|$ is NP-hard in the strong sense [6]. There exist exact as well as heuristic algorithms for  $P||C_{max}$ . Evidently, exact algorithms using branch-and-bound [7] or cutting plane [8] approaches are only applicable to problem instances with a small number of jobs and cores (roughly under 50 jobs and 15 cores [8]). To this end, we do not deploy exact algorithms because the number p of partitions (jobs) will typically be larger than 100. For instance, the human genome, is estimated to comprise roughly 30,000 genes, albeit there is a large variation in this gene number estimate.

Heuristic approaches to the multi-processor scheduling problem can roughly be classified into constructive heuristics and improvement/refinement heuristics. The LPT (longest processing time) algorithm [9] probably represents the bestknown and most widely-used constructive heuristic algorithm. LPT is also implemented in the GIT version of RAxML-Light. Initially, LPT sorts all jobs (partitions) in descending order by their processing time (number of site patterns in the respective partitions). Thereafter, starting with the longest job (largest partition), all jobs (partitions) are successively assigned to the least loaded processor. In other words, a job is assigned to the processor that will complete its tasks earlier than all other processors. In phylogenetics, we keep track of the number of site patterns assigned to each processor and assign the next partition to the processor with the least accumulated number of site patterns. LPT has a worst case performance of  $\frac{4}{3} - \frac{1}{3n}$ , where *n* is the number of cores. This means that, in the worst case, the schedule computed by LPT will take  $1.\overline{3}$  times longer to completion than the optimal solution. Simulations have shown that, LPT exhibits good average performance, in particular when p (the number of jobs/partitions) is large [10].

Numerous alternative constructive approaches have been proposed such as MultiFit [11] and, more recently, PSC [12].

Improvement/refinement heuristics that have been proposed include the 0/1 interchange [10] method, the 3-PHASE [13] heuristics as well as more complex approaches such as the cyclic exchange neighborhood [14] method and genetic algorithms [15].

# B. Load Balance in the PLF

To the best of our knowledge, the present paper is the first to discuss this specific load distribution problem. This is because, RAxML-Light is, as far as we know, the only production-level MPI parallelization of the PLF that can handle datasets with RAM requirements of up to 1TB as well as full-genome alignments with up to 1000 species. Preliminary test with partitioned analyses on real data from full-genome and full-transcriptome sequencing projects have only now revealed this issue.

In previous work, we had focused on load balance issues for computing the PLF on partitioned datasets at a smaller scale [16]. In particular, we assessed the performance of simultaneously evaluating model and/or branch length parameter changes across all partitions and all cores. We showed that, proposing and evaluating changes simultaneously for all partitions can substantially improve parallel efficiency for partitioned analyses. This improvement was achieved by assigning larger chunks of work to each processor per broadcast/synchronization point in the code. At the same time, this also allowed for significantly reducing the number of synchronization points and/or barriers in the code. For details please refer to [16]. Note that, these experiments still relied on a cyclic distribution of per-partition sites to cores. Thus, the results of this previous work still hold and have in the meantime been integrated into RAxML-Light. What we report on here, is implemented on top of this previous work and deals with load balance at a more coarse-grained level.

Recently, Ayres *et al.* introduced a library implementation for computing the PLF [4] that can offload likelihood computations to multi-core processors using OpenMP or to GPUs via CUDA. The x86 implementation has also been optimized via SSE3 vector intrinsics. However, the BEAGLE library does not provide mechanisms yet for conducting partitioned analyses and does also not provide a distributed memory MPI implementation.

#### III. CYCLIC VERSUS MONOLITHIC DATA DISTRIBUTION

As mentioned in the introduction, the computation of the per-partition probability transition matrix  $P(t) = e^{Qt}$  represents the main cause of inefficiencies associated to computing the PLF on partitioned datasets with p partitions when a cyclic distribution of per-partition site patterns to cores is deployed.

To better explain this, consider the "classic" formula of the Felsenstein pruning algorithm [1] for recursively computing the conditional likelihood vector entries at a node k, given the two child nodes i and j. Given the probability vectors  $\vec{L}^{(i)}$  and  $\vec{L}^{(j)}$  of the child nodes, the respective branch lengths leading to the children  $b_i$  and  $b_j$ , and the transition probability matrices  $P(b_i), P(b_j)$ , the probability of observing an A at position c of the ancestral (parent) vector  $\vec{L}^{(k)}_A(c)$  is computed as follows:

$$\vec{L}_{A}^{(k)}(c) = \left(\sum_{S=A}^{T} P_{AS}(b_{i})\vec{L}_{S}^{(i)}(c)\right) \left(\sum_{S=A}^{T} P_{AS}(b_{j})\vec{L}_{S}^{(j)}(c)\right) \quad (1)$$

This operation as well as structurally analogous arithmetic operations for computing the log likelihood at the root of the tree and for optimizing the branch lengths in RAxML (and other ML-based inference programs) largely dominate execution times (approximately 90%). A fine-grain parallelization of Equation 1 is straight-forward because the likelihood vector entries  $\vec{L}^{(k)}(c), \vec{L}^{(k)}(c+1)$  for site patterns c and c+1 can be computed independently and thus simultaneously. Note that,  $P(b_i)$  and  $P(b_i)$  remain constant over all site patterns c = 1...m, where m is the number of site patterns in the partition that evolves according to the instantaneous nucleotide substitution model Q for time dt. To obtain  $P(b_i)$  for instance, we need to exponentiate Q by computing  $P(b_i) = e^{Qb_i}$  via a standard eigenvector/eigenvalue decomposition. As long as we do not change the values in Q, the eigenvectors and eigenvalues of Q will not change. However, as we traverse a tree for evaluating it, we still need to compute  $P(b) = e^{Qb}$  for every branch and every partition of the dataset. Also note that, the matrix exponentiation must be conducted prior to computing the entries in  $\vec{L}^{(k)}(c)$  for all c. The cost of computing P(b)is relatively small compared to the operations in Equation 1 when the number of site patterns m is large. However, when m is small, that is, there are only a few site patterns that evolve under a model Q, matrix exponentiation can dominate run times.

Let us consider a simple example as outlined in Figure 1 with two cores  $c_0, c_1$ , and an alignment with two partitions  $p_0, p_1$  and two site patterns per partition. If we use a cyclic distribution of per-partition site patterns to cores,  $c_0$  will conduct likelihood operations on one site of partition  $p_0$  and one site of partition  $p_1$ . The same holds true for  $c_1$ . Because the dataset is partitioned,  $p_0$  will evolve under a model of nucleotide substitution  $Q_0$  and  $p_1$  under a model  $Q_1$ . Thus, if we use a cyclic per-partition site pattern distribution, each core will have to carry out a total of 4 matrix exponentiations for  $Q_0$  and  $Q_1$  to compute Equation 1. If we distribute the partitions monolithically to  $c_0$  and  $c_1$ , then  $c_0$  will only need to exponentiate  $Q_0$  and  $c_1$  only  $Q_1$ .

Note that, especially for the distributed memory parallelization of Equation 1, it is not desirable to have each MPI process compute some P matrices and subsequently gather them (as needed) via a MPI collective communication operation. By using a monolithic partition-to-process assignment, we can avoid deploying an additional collective communication (or a barrier in the PThreads code) altogether, between the matrix exponentiations and the likelihood computations in Equation 1.

Thus, if the number of partitions p is much larger than the number of cores n, our objective is to assign an approximately equal number of site patterns to each core *and* to distribute partitions monolithically to cores for amortizing the cost for Q matrix exponentiations. Ideally, we also




Figure 1. Example for cyclic and monolithic distribution of sites and partitions to cores for a simple alignment with four sites and two partitions.

want each core to conduct an equal number of matrix exponentiations, that is, we want to balance the number of sites *and* partitions per core.

#### **IV. PARTITION SCHEDULING ALGORITHMS**

As already mentioned the current production-level implementation of RAxML-Light that is available via https: //github.com/stamatak/RAxML-Light-1.0.5 implements the simple and fast LPT heuristics. The monolithic per-partition data distribution to cores/MPI processes can be invoked via the -Q command line flag. If -Q is not specified, the parallel PThreads and MPI versions of RAxML-Light will use the standard cyclic per-partition distribution of site patterns to cores.

In addition to LPT, we also implemented three slightly modified standard heuristics and a dedicated algorithm that also tries to balance the number of partitions per core (and not only the number of sites).

Henceforth, we consistently use phylogenetic terminology for describing the algorithms, that is, partitions instead of jobs and number of site patterns instead of job length.

# A. Standard Heuristics

Improved 0/1 interchange (iZO): The 0/1 interchange algorithm by Fin and Horwowitz [10] comprises two steps: The *first step* initialize the *n* cores by randomly placing *p* partitions on them. In the *second step*, one partition will be moved from the most loaded core to the least loaded core if the makespan can be decreased. These interchanges are applied iteratively until makespan can not be further improved. The worst-case performance of this approach is  $2 - \frac{2}{n+1}$ . The improved 0/1 interchange heuristics [17] simply use LPT for the *first step* instead of random assignments. Hence, the makespan of this improved 0/1 interchange method can never exceed that of LPT. It can be demonstrated that, the improved 0/1 interchange has the same worst-case ratio as LPT.

*Modified 3-PHASE (mTP):* The 3-PHASE algorithm [13] —as the name suggests— consists of three phases: (i) the initialization phase, (ii) the job interchange

phase, and (iii) the job exchange phase. The job interchange phase is similar to the 0/1 interchanges algorithm. However, it uses the trivial lower makespan bound  $C = \sum_{i=1}^{n} C_i/n$ for guiding job reassignments, which can potentially generate better results. Finally, the job exchange phase attempts to exchange jobs between pairs of cores to further reduce the makespan. To yield the two algorithms (3-PHASE versus iZO) more comparable, we adapted the initialization phase of 3-PHASE to also use LPT. Note that, these modified 3-PHASE heuristics can not perform worse than the improved 0/1 interchange.

Improved MultiFit (iMF): The MultiFit method [11] is inspired by a bin-packing method. It uses a bisection search for the minimal bin capacity  $C_{min}$  such that all p partitions can be fit into n bins (cores). Then, for each detected capacity, the First Fit Decreasing (FFD) [11] method is used to assign the partitions to the bins. As LPT, the FFD method requires all partitions to be sorted in descending order according to the number of site patterns. The main difference is that, FFD will then (after sorting) subsequently assign the partitions to the core with the lowest index that can complete the job within the capacity  $C_{min}$ , instead of assigning the partition to the core with the least number of site patterns (LPT). This difference in the assignment strategy can generate a large variation in the number of partitions that are assigned to each core. The bisection search will search  $C_{min}$  between the upper bound  $max(P_{max}, 2C)$ and the lower bound  $max(P_{max}, C)$ , where  $P_{max}$  is the largest partition, and  $C = \sum_{i=1}^{n} C_i/n$ . MultiFit has a worst-case performance of  $\frac{11}{9} + 2^{-k}$  where k is the number of executed bisection searches. Improved MultiFit (iMF) [18] deploys tighter bounds to improve the efficiency of the algorithm. iMF first runs LPT to determine the makespan M. If  $M \ge 1.5C$  then it stops, otherwise it will execute standard MultiFit with an initial upper bound of M and a lower bound of  $max(\frac{M}{\frac{4}{3}-\frac{1}{3n}}, P_{max}, C)$ .

### B. Dedicated Heuristics

The algorithms described so far are designed to minimize the makespan, as given by the number of accumulated site patterns per core. Since, on top of this, we desire each core to also be assigned an equal number of monolithic partitions (see Section III), we developed additional heuristics of our own. We introduce the vIC (interchange of jobs to minimize job number variance) method that strives to decrease the variance in the number of partitions per core, and at the same time strives not to increase the makespan.

The vIC method consists of three steps:

- Step 1: Execute one of the standard multiprocessor algorithms to obtain an initial partition-to-core assignment and calculate the makespan M.
- Step 2: Find the core  $M_{max}$  that has the largest number of partitions with the number of accumulated site patterns  $S_{max}$ . Also find the core  $M_{min}$  which has the smallest

number of partitions and the corresponding number of accumulated site patterns  $S_{min}$ . Note that,  $M_{min}$  and  $M_{max}$  do not need to have been assigned the largest and smallest number of site patterns. Scan all partitions  $P_i$  with  $S_i$  sites that have been assigned to  $M_{max}$ . If  $S_{min} + S_i \leq M$ , then assign  $P_i$  to  $M_{min}$ . Repeat step 2 until no further improvement can be made.

Step 3: Find the core  $M_{max}$  which has the largest number of partitions and  $S_{max}$  accumulated site patterns. For all the other cores  $M_j$  has  $S_j$  sites, scan all partitions  $P_i$  with  $S_i$  sites on  $M_{max}$ , if  $S_j + S_i \leq M$ , then reassign  $P_i$  to  $M_j$  and go to step 2; else the algorithm terminate.

#### V. EXPERIMENTAL SETUP & RESULTS

### A. Experimental Setup

We generated simulated alignments to assess performance of the new data distribution scheme and the heuristics described in Section IV. To emulate a realistic partition length distribution, we extracted the gene lengths from the human protein reference sequence database (ftp://ftp.ncbi. nih.gov/refseq/H\_sapiens/mRNA\_Prot/). The distribution of human protein sequences lengths (corresponding to partition lengths in ours experiments) is provided in Figure 2.

We applied INDELible [19] to four distinct tree topologies with 10 taxa each to simulate two protein and two DNA datasets. The properties of the simulated datasets are summarized in Table I. The test datasets together with the source code that implements various scheduling algorithms in RAxML-Light can be downloaded at www.exelixis-lab. org/Scheduling\_online\_material.zip. Note that, for our performance assessment it does not matter if we use simulated or real data, as long as the partition length distribution is realistic.

Table I TEST DATA SET SIZES

Test data set	100 partitions	200 partitions	500 partitions	800 partitions	1000 partitions
Protein 1	58032aa	106984aa	273578aa	445940aa	570970aa
Protein 2	50621aa	110827aa	290336aa	437574aa	521612aa
DNA 1	146875nt	336755nt	882494nt	1342040nt	1744252nt
DNA 2	153802nt	333170nt	876077nt	1288862nt	1646677nt

Tests were run on an Infiniband-connected cluster at the Heidelberg Institute for Theoretical Studies that is equipped with 50 48-core AMD Magny-Cours nodes and 128GB of RAM each. We executed runs with the PThreads and MPI-based version of RAxML-Light on 24, 48, and 96 cores.

#### B. Experimental Results

The evaluation of the alternative scheduling algorithms was based on two values: makespan (maximum accumulated number of sites assigned to a core) and the variance of the number of partitions among cores. Both values should ideally be minimized. We measured RAxML-Light execution times for the standard implementation with a cyclic data Table II

MAKESPAN (M), VARIANCE (VAR), VARIANCE OF VIC (VAR-VIC), EXECUTION TIMES UNDER GAMMA (T-G) AND EXECUTION TIMES UNDER CAT (T-C) IN SECONDS FOR 4 SCHEDULING ALGORITHMS AND THE STANDARD CYCLIC DATA DISTRIBUTION ON 24, 48, AND 96 CORES. THE VAR COLUMN SHOWS THE JOB NUMBER VARIANCE OF THE SCHEDULING ALGORITHMS THAT DO NOT USE VIC IMPROVEMENT. THE NEXT COLUMN (VAR-VIC) SHOWS THE VARIANCE IMPROVEMENT (IF ANY) OBTAINED BY APPLYING VIC. THE NUMBER OF PARTITIONS VARIES FROM 100 TO 1000. THE RUNS ON 24 AND 48 CORES WERE EXECUTED USING THE PTHREADS VERSION, RUNS ON 96 CORES RUNS WERE TESTED USING THE MPI VERSION ON DATA SETS WITH 1000 PARTITIONS ONLY.

Dro	tain 1		I D'	Г / iZO / m7	ГD				iMF			Standard in	nlamantation
	tein 1	М	Var	Var-vIC		t-C	М	Var	Var-vIC	t-G	t-C	t-G	plementation t-C
n	p				t-G								
24	100	2268	1.472	0.888	134	41	2268	13.97	0.888	144	43	179	303
	200	2931	0.638	0.555	218	76	2907	25.80		218	100	349	616
	500	7441	0.388	0.005	549	190	7430	197.2		554	270	881	1497
	800	12046	0.638	0.305	893	309	12015	586.7	570.6	903	435	1434	2393
	1000	15125	11.13		1113	402	15107	1010		1127	565	1779	3035
48	100	2268	0.493	0.118	128	39	2268	0.493	0.118	128	38	129	292
	200	1802	0.763	0.388	121	40	1802	10.34	1.347	136	42	264	593
	500	3746	0.659	0.618	288	103	3718	47.99	46.28	291	144	654	1443
	800	6019	0.430		466	167	6011	140.5	138.5	473	239	1063	2307
	1000	10118	9.263	8.597	668	219	10118	457.9	47.38	750	250	1313	2920
96	100	2268	0.039		-	-	2268	0.039		-	-	-	-
	200	1802	0.493	0.097	-	-	1802	0.493	0.097		-	-	-
	500	2624	0.789	0.519	-	-	2624	26.20	1.456	-	-	-	-
	800	3026	1.034		-	-	3009	33.68	32.72	-	-	-	-
	1000	10118	1.847	1.180	581	179	10118	1.847	1.180	585	179	1129	2847
Pro	tein 2		LPI	Г / iZO / m7	ГР				iMF			Standard in	plementation
24	100	2138	1.222	0.722	156	49	2138	9.638	2.388	161	51	223	354
	200	4143	0.472	0.388	341	111	4091	28.97	27.80	341	136	478	709
	500	10647	0.472		867	304	10603	283.3	276.9	878	389	1216	1783
	800	16120	0.388		1328	441	16089	647.7	628.9	1338	575	1895	2791
	1000	19274	0.222		1581	551	19260	940.8	934.6	1598	730	2306	3512
48	1000	2138	0.534	0.118	138	43	2138	0.534	0.118	1390	43	158	338
10	200	2483	1.138	0.638	184	57	2483	10.63	1.722	209	63	334	673
	500	5326	0.951	0.050	456	155	5307	69.70	64.61	457	208	845	1690
	800	8062	0.388		692	235	8048	154.8	04.01	715	324	1327	2668
	1000	9666	0.305	0.263	813	233 292	9631	239.2	235.8	830	417	1627	3319
96	1000	2138	0.039	0.205			2138	0.039	255.0			-	-
90	200	2138	0.039	0.097	-	-	2138	0.039	0.097	-	-	-	-
	500	3830	1.581	0.097		-	3830	31.97	2.081	-	-	-	-
	800	4067	0.951	0.894	-							-	
				0.610		-	4026	37.53	34.15	-	-		-
	1000	4855	0.701	0.618	411	180	4026	37.53 58.18	52.43	423	230	1289	3319
	1000 NA 1	4855	0.701 LP1	0.618 ſ/iZO/m]	411 ГР	180	4819	58.18	52.43 iMF	423	230	1289 Standard in	3319 plementation
D1 24	1000 NA 1 100	4855 3287	0.701 LPT 0.555		411 TP 87	180 75	4819	58.18 6.055	52.43	423 91	230 76	1289 Standard in 97	3319 plementation 99
	1000 NA 1 100 200	4855 3287 7123	0.701 LP 0.555 1.138	ſ/iZO/m٦	411 TP 87 385	180 75 373	4819 3229 7099	58.18 6.055 24.72	52.43 iMF 4.722	423 91 387	230 76 375	1289 Standard in 97 409	3319 plementation 99 457
	1000 NA 1 100 200 500	4855 3287 7123 18851	0.701 LPT 0.555 1.138 0.305		411 TP 87 385 2264	180 75 373 2161	4819 3229 7099 18756	58.18 6.055 24.72 175.9	52.43 iMF 4.722 163.1	423 91 387 2285	230 76 375 2151	1289 Standard in 97 409 2335	3319 plementation 99 457 2369
	1000 NA 1 100 200 500 800	4855 3287 7123 18851 28812	0.701 LP1 0.555 1.138 0.305 0.222	0.138	411 TP 87 385 2264 5587	180 75 373 2161 5638	4819 3229 7099 18756 28735	58.18 6.055 24.72 175.9 501.7	52.43 iMF 4.722 163.1 493.6	423 91 387 2285 5595	230 76 375 2151 5670	1289 Standard in 97 409 2335 5703	3319 pplementation 99 457 2369 5978
24	1000 NA 1 100 200 500 800 1000	4855 3287 7123 18851 28812 36950	0.701 LPT 0.555 1.138 0.305 0.222 2.638	0.138 2.555	411 TP 87 385 2264 5587 9429	180 75 373 2161 5638 9289	4819 3229 7099 18756 28735 36856	58.18 6.055 24.72 175.9 501.7 839.8	52.43 iMF 4.722 163.1 493.6 800.4	423 91 387 2285 5595 9455	230 76 375 2151 5670 9307	1289 Standard in 97 409 2335 5703 9559	3319 plementation 99 457 2369 5978 9682
	1000 NA 1 100 200 500 800 1000 100	4855 3287 7123 18851 28812 36950 2816	0.701 LPT 0.555 1.138 0.305 0.222 2.638 0.576	0.138 0.138 2.555 0.118	411 TP 87 385 2264 5587 9429 78	180 75 373 2161 5638 9289 74	4819 3229 7099 18756 28735 36856 2816	58.18 6.055 24.72 175.9 501.7 839.8 0.576	52.43 iMF 4.722 163.1 493.6 800.4 0.118	423 91 387 2285 5595 9455 78	230 76 375 2151 5670 9307 74	1289 Standard in 97 409 2335 5703 9559 84	3319           pplementation           99           457           2369           5978           9682           98
24	1000 NA 1 200 500 800 1000 100 200	4855 3287 7123 18851 28812 36950 2816 6050	0.701 LP1 0.555 1.138 0.305 0.222 2.638 0.576 1.013	0.138 2.555	411 TP 87 385 2264 5587 9429 78 350	180 75 373 2161 5638 9289 74 367	4819 3229 7099 18756 28735 36856 2816 6050	58.18 6.055 24.72 175.9 501.7 839.8 0.576 1.013	52.43 iMF 4.722 163.1 493.6 800.4 0.118 0.430	423 91 387 2285 5595 9455 78 350	230 76 375 2151 5670 9307	1289 Standard in 97 409 2335 5703 9559 84 367	3319 pplementation 99 457 2369 5978 9682 98 448
24	1000 NA 1 100 200 500 800 1000 100 200 500	4855 3287 7123 18851 28812 36950 2816 6050 9462	0.701 LP1 0.555 1.138 0.305 0.222 2.638 0.576 1.013 0.659	r / iZO / m] 0.138 2.555 0.118 0.430	411 TP 87 385 2264 5587 9429 78 350 2176	180           75           373           2161           5638           9289           74           367           2125	4819 3229 7099 18756 28735 36856 2816 6050 9382	58.18 6.055 24.72 175.9 501.7 839.8 0.576 1.013 42.28	52.43 iMF 4.722 163.1 493.6 800.4 0.118	423 91 387 2285 5595 9455 78 350 2178	230 76 375 2151 5670 9307 74 367 2131	1289 Standard in 97 409 2335 5703 9559 84 367 2227	3319 plementation 99 457 2369 5978 9682 98 448 2345
24	1000 NA 1 200 500 800 1000 100 200	4855 3287 7123 18851 28812 36950 2816 6050	0.701 LP1 0.555 1.138 0.305 0.222 2.638 0.576 1.013	0.138 0.138 2.555 0.118	411 TP 87 385 2264 5587 9429 78 350	180 75 373 2161 5638 9289 74 367	4819 3229 7099 18756 28735 36856 2816 6050	58.18 6.055 24.72 175.9 501.7 839.8 0.576 1.013	52.43 iMF 4.722 163.1 493.6 800.4 0.118 0.430	423 91 387 2285 5595 9455 78 350	230 76 375 2151 5670 9307 74 367	1289 Standard in 97 409 2335 5703 9559 84 367	3319 pplementation 99 457 2369 5978 9682 98 448
24	1000 NA 1 100 200 500 800 1000 100 200 500	4855 3287 7123 18851 28812 36950 2816 6050 9462	0.701 LP1 0.555 1.138 0.305 0.222 2.638 0.576 1.013 0.659	r / iZO / m] 0.138 2.555 0.118 0.430	411 TP 87 385 2264 5587 9429 78 350 2176	180           75           373           2161           5638           9289           74           367           2125	4819 3229 7099 18756 28735 36856 2816 6050 9382	58.18 6.055 24.72 175.9 501.7 839.8 0.576 1.013 42.28	52.43 iMF 4.722 163.1 493.6 800.4 0.118 0.430	423 91 387 2285 5595 9455 78 350 2178	230 76 375 2151 5670 9307 74 367 2131	1289 Standard in 97 409 2335 5703 9559 84 367 2227	3319 plementation 99 457 2369 5978 9682 98 448 2345
24	1000 NA 1 100 200 500 800 1000 100 200 500 800	4855 3287 7123 18851 28812 36950 2816 6050 9462 14397	0.701 LP1 0.555 1.138 0.305 0.222 2.638 0.576 1.013 0.659 0.388	C / iZO / m] 0.138 2.555 0.118 0.430 0.347	411 TP 87 385 2264 5587 9429 78 350 2176 5438	180           75           373           2161           5638           9289           74           367           2125           5581	4819 3229 7099 18756 28735 36856 2816 6050 9382 14381	58.18 6.055 24.72 175.9 501.7 839.8 0.576 1.013 42.28 121.2	52.43 iMF 4.722 163.1 493.6 800.4 0.118 0.430 40.95 	423 91 387 2285 5595 9455 78 350 2178 5441	230 76 375 2151 5670 9307 74 367 2131 5577	1289 Standard in 97 409 2335 5703 9559 84 367 2227 5547	3319           pplementation           99           457           2369           5978           9682           98           448           2345           5942
24	1000 NA 1 100 200 500 800 1000 100 200 500 800 1000	4855 3287 7123 18851 28812 36950 2816 6050 9462 14397 18529	0.701 LP1 0.555 1.138 0.305 0.222 2.638 0.576 1.013 0.659 0.388 4.388	C / iZO / m] 0.138 2.555 0.118 0.430 0.347	411 P 87 385 2264 5587 9429 78 350 2176 5438 9225	180 75 373 2161 5638 9289 74 367 2125 5581 9199	4819 3229 7099 18756 28735 36856 2816 6050 9382 14381 18432	58.18 6.055 24.72 175.9 501.7 839.8 0.576 1.013 42.28 121.2 207.6	52.43 iMF 4.722 163.1 493.6 800.4 0.118 0.430 40.95	423 91 387 2285 5595 9455 78 350 2178 5441 9242	230 76 375 2151 5670 9307 74 367 2131 5577 9209	1289 Standard in 97 409 2335 5703 9559 84 367 2227 5547 9364	3319 pplementation 99 457 2369 5978 9682 98 448 2345 5942 9641
24	1000 NA 1 100 200 500 800 1000 1000 200 500 800 1000 1000	4855 3287 7123 18851 28812 36950 2816 6050 9462 14397 18529 2816	0.701 LP1 0.555 1.138 0.305 0.222 2.638 0.576 1.013 0.659 0.388 4.388 0.039	0.138 0.138 2.555 0.118 0.430 0.347 3.763 0.097 0.727	411 P 87 385 2264 5587 9429 78 350 2176 5438 9225	180           75           373           2161           5638           9289           74           367           2125           5581           9199	4819 3229 7099 18756 28735 36856 2816 6050 9382 14381 18432 2816	58.18 6.055 24.72 175.9 501.7 839.8 0.576 1.013 42.28 121.2 207.6 0.039	52.43 iMF 4.722 163.1 493.6 800.4 0.118 0.430 40.95 	423 91 387 2285 5595 9455 78 350 2178 5441 9242	230 76 375 2151 5670 9307 74 367 2131 5577 9209	1289 Standard in 97 409 2335 5703 9559 84 367 2227 5547 9364	3319 pplementation 99 457 2369 5978 9682 98 448 2345 5942 9641
24	1000 NA 1 100 200 500 800 1000 200 500 800 1000 1000 1000 200	4855 3287 7123 18851 28812 36950 2816 6050 9462 14397 18529 2816 6050	0.701 LPT 0.555 1.138 0.305 0.222 2.638 0.576 1.013 0.659 0.388 4.388 4.388 0.039 0.472	C / iZO / m 0.138 2.555 0.118 0.430 0.347 3.763 0.097	411 P 87 385 2264 5587 9429 78 350 2176 5438 9225 -	180 75 373 2161 5638 9289 74 367 2125 5581 9199 -	4819 3229 7099 18756 28735 36856 2816 6050 9382 14381 18432 2816 6050	58.18 6.055 24.72 175.9 501.7 839.8 0.576 1.013 42.28 121.2 207.6 0.039 0.472	52.43 iMF 4.722 163.1 493.6 800.4 0.118 0.430 40.95 199.1 0.097	423 91 387 2285 5595 9455 78 350 2178 5441 9242 -	230 76 375 2151 5670 9307 74 367 2131 5577 9209 -	1289 Standard in 97 409 2335 5703 9559 84 367 2227 5547 9364 - -	3319 pplementation 99 457 2369 5978 9682 98 448 2345 5942 9641 - -
24	1000 NA 1 100 200 500 800 1000 100 200 500 800 1000 1000 200 500	4855 3287 7123 18851 28812 36950 2816 6050 9462 14397 18529 2816 6050 5261	0.701 LPT 0.555 1.138 0.305 0.222 2.638 0.576 1.013 0.659 0.388 4.388 0.039 0.472 1.164	0.138 0.138 2.555 0.118 0.430 0.347 3.763 0.097 0.727	411 P 87 385 2264 5587 9429 78 350 2176 5438 9225 - -	180 75 373 2161 5638 9289 74 367 2125 5581 9199 - -	4819 3229 7099 18755 28735 36856 2816 6050 9382 14381 18432 2816 6050 5261	58.18 6.055 24.72 175.9 501.7 839.8 0.576 1.013 42.28 121.2 207.6 0.039 0.472 13.12	52.43 iMF 4.722 163.1 493.6 800.4 0.118 0.430 40.95 199.1 0.097 3.644	423 91 387 2285 5595 9455 78 350 2178 5441 9242 - -	230 76 375 2151 5670 9307 74 367 2131 5577 9209 -	1289 Standard in 97 409 2335 5703 9559 84 367 2227 5547 9364 - - -	3319 pplementation 99 457 2369 5978 9682 98 448 2345 5942 9641 - - -
24 48 96	1000 NA 1 100 200 500 800 1000 1000 200 500 800 1000 1000 200 500 800	4855 3287 7123 18851 28812 36950 2816 6050 9462 14397 18529 2816 6050 5261 7261	0.701 LP1 0.555 1.138 0.305 0.222 2.638 0.576 1.013 0.659 0.388 4.388 0.039 0.472 1.164 0.868 1.305	C / iZO / m] 0.138 2.555 0.118 0.430 0.347 3.763 0.097 0.727 0.722	411 FP 87 385 2264 5587 9429 78 350 2176 5438 9225 - - - - 8878	180 75 373 2161 5638 9289 74 367 2125 5581 9199 - - -	4819 3229 7099 18756 28735 36856 2816 6050 9382 14381 18432 2816 6050 5261 7192	58.18 6.055 24.72 175.9 501.7 839.8 0.576 1.013 42.28 121.2 207.6 0.039 0.472 13.12 29.18	52.43 iMF 4.722 163.1 493.6 800.4 0.118 0.430 40.95 	423 91 387 2285 5595 9455 78 350 2178 5441 9242 - -	230 76 375 2151 5670 9307 74 367 2131 5577 9209 - - -	1289 Standard in 97 409 2335 5703 9559 84 367 2227 5547 9364 - - - 9364 - - - 9051	3319 plementation 99 457 2369 5978 9682 98 448 2345 5942 9641 - - -
24 48 96	1000 VA 1 100 200 500 800 1000 1000 200 500 800 1000 1000 500 800 500 800 1000 10	4855 3287 7123 18851 28812 36950 2816 6050 9462 14397 18529 2816 6050 5261 7261 16429	0.701 LP1 0.555 1.138 0.305 0.222 2.638 0.576 1.013 0.659 0.388 4.388 0.039 0.472 1.164 0.668 1.305 LP1	0.138 2.555 0.118 0.430 0.347 3.763 0.097 0.727 0.722 1.180	411 FP 87 385 2264 5587 9429 78 350 2176 5438 9225 - - - - 8878	180 75 373 2161 5638 9289 74 367 2125 5581 9199 - - -	4819 3229 7099 18756 28735 36856 2816 6050 9382 14381 18432 2816 6050 5261 7192 16429	58.18 6.055 24.72 175.9 501.7 839.8 0.576 1.013 42.28 121.2 207.6 0.039 0.472 13.12 29.18 1.305	52.43 iMF 4.722 163.1 493.6 800.4 0.118 0.430 40.95 199.1 0.097 3.644 28.18 1.180 iMF	423 91 387 2285 5595 9455 78 350 2178 5441 9242 - -	230 76 375 2151 5670 9307 74 367 2131 5577 9209 - - - 8921	1289 Standard in 97 409 2335 5703 9559 84 367 2227 5547 9364 - - - 9051 Standard in	3319 pplementation 99 457 2369 5978 9682 98 448 2345 5942 9641 - - - 9357 plementation
24 48 96	1000 VA 1 100 200 500 800 1000 100 200 500 800 1000 1000 200 500 800 1000	4855 3287 7123 18851 28812 36950 2816 6050 9462 14397 18529 2816 6050 5261 7261	0.701 LP1 0.555 1.138 0.305 0.222 2.638 0.576 1.013 0.659 0.388 4.388 0.039 0.472 1.164 0.868 1.305	0.138 2.555 0.118 0.430 0.347 3.763 0.097 0.727 0.722 1.180	411 CP 87 385 2264 5587 9429 78 350 2176 5438 9225 - - - - 8878 CP	180 75 373 2161 5638 9289 74 367 2125 5581 9199 - - - - 8921 8921	4819 3229 7099 18756 28735 36856 2816 6050 9382 14381 18432 2816 6050 5261 7192	58.18 6.055 24.72 175.9 501.7 839.8 0.576 1.013 42.28 121.2 207.6 0.039 0.472 13.12 29.18 1.305 3.972	52.43 iMF 4.722 163.1 493.6 800.4 0.118 0.430 40.95 199.1 0.097 3.644 28.18 1.180	423 91 387 2285 5595 9455 78 350 2178 5441 9242 - - - - 8878	230 76 375 2151 5670 9307 74 367 2131 5577 9209 - - -	1289 Standard in 97 409 2335 5703 9559 84 367 2227 5547 9364 - - - 9364 - - - 9051	3319 pplementation 99 457 2369 5978 9682 98 448 2345 5942 9641 - - - 9357
24 48 96	1000 NA 1 100 200 500 800 1000 100 200 800 1000 1000 200 800 1000 500 800 1000 VA 2 100 200	4855 3287 7123 18851 28812 2816 6050 9462 14397 18529 2816 6050 5261 18529 2816 6050 5261 16429	0.701 LP1 0.555 1.138 0.305 0.222 2.638 0.576 1.013 0.659 0.388 4.388 0.039 0.472 1.164 4.388 1.305 LP1 0.305	C / iZO / m <sup>-1</sup> 0.138 2.555 0.118 0.430 0.347 3.763 0.097 0.727 1.180 C / iZO / m <sup>-1</sup>	411 FP 87 385 2264 5587 9429 78 350 2176 5438 9225 - - - - 8878 FP 96 381	180 75 373 2161 5638 9289 74 367 2125 5581 9199 - - - - 8921 - - - 8921	4819 3229 7099 18756 28735 36856 2816 6050 9382 14381 18432 2816 6050 5261 18432 2816 7192 16429	58.18 6.055 24.72 175.9 501.7 839.8 0.576 1.013 42.28 121.2 207.6 0.039 0.472 13.12 29.18 1.305 3.972 25.47	52.43 iMF 4.722 163.1 493.6 800.4 0.118 0.430 40.95 199.1 0.097 3.644 28.18 1.180 iMF 2.638	423 91 387 2285 5595 9455 78 350 2178 5441 9242 - - - - - - 8878 96 381	230 76 375 2151 5670 9307 74 367 2131 5577 9209 - - - - - - - - - - - - -	1289 Standard in 97 409 2335 5703 9559 84 367 2227 5547 9364 - - 9051 Standard in 105 400	3319 plementation 99 457 2369 5978 9682 98 448 2345 5942 9641 - - 9357 plementation 120 418
24 48 96	1000 NA 1 100 200 500 800 1000 200 500 800 1000 1000 200 500 800 1000 NA 2 100 200 500 800 1000 1000 500	4855 3287 7123 18851 28812 36950 2816 6050 9462 14397 18529 2816 6050 5261 7261 16429 3584 7295 19498	0.701 LP1 0.555 1.138 0.305 0.222 2.638 0.576 1.013 0.659 0.388 4.388 4.388 0.039 0.472 1.164 0.868 1.305 LP1 0.305 0.805	C / iZO / m] 0.138 2.555 0.118 0.430 0.347 0.347 0.727 0.722 1.180 C / iZO / m] 0.722	411 TP 87 385 2264 5587 9429 2176 5438 9225 - - - 8878 TP 96 381 2269	180 75 373 2161 5638 9289 74 367 2125 5581 9199 - - - - 8921 - - 8921 - 94 354 2186	4819 3229 7099 18756 28735 36856 2816 6050 9382 2816 6050 5261 7192 16429 3470 7219 19433	58.18 6.055 24.72 175.9 501.7 839.8 0.576 1.013 42.28 121.2 207.6 0.039 0.472 13.12 29.18 1.305 3.972 25.47 172.5	52.43 iMF 4.722 163.1 493.6 800.4 0.118 0.430 40.95 199.1 0.097 3.644 28.18 1.180 iMF 2.638 23.80	423 91 387 2285 5595 9455 78 350 2178 5441 9242 - - - - 8878 8878 96 381 2269	230 76 375 2151 5670 9307 74 367 2131 5577 9209 - - - - - - 8921 95 353 2157	1289 Standard in 97 409 2335 5703 9559 84 367 2227 5547 9364 - - 9051 Standard in 105 400 2313	3319 pplementation 99 457 2369 5978 9682 98 448 2345 5942 9641 - - - 9357 pplementation 120 418 2341
24 48 96	1000 NA 1 100 200 500 800 1000 200 500 800 1000 200 500 800 1000 200 500 800 1000 200 500 800 1000 800 1000 800 800 800	4855 3287 7123 18851 28812 36950 2816 6050 9462 14397 18529 2816 6050 5261 7261 16429 16429 16429 53584 7295 19498 29095	0.701 LP1 0.555 1.138 0.305 0.222 2.638 0.576 0.576 0.576 0.576 0.576 0.576 0.576 0.576 0.576 0.576 0.576 0.576 0.575 0.222 2.638 0.576 0.472 1.164 0.305 0.472 0.305 0.305 0.472	C / iZO / m <sup>-1</sup> 0.138 2.555 0.118 0.430 0.347 3.763 0.097 0.727 1.180 C / iZO / m <sup>-1</sup>	411 TP 87 385 2264 5587 9429 78 350 2176 5438 9225 - - - 8878 TP 96 381 2269 5418	180 75 373 2161 5638 9289 74 367 2125 5581 9199 - - - - 8921 - - 8921 94 354 2186 5897	4819 3229 7099 18756 28735 36856 2816 6050 9382 14381 18432 2816 6050 5261 7192 16429 16429 3470 7219 19433 29004	58.18 6.055 24.72 175.9 501.7 839.8 0.576 1.013 42.28 121.2 207.6 0.039 0.472 13.12 29.18 1.305 3.972 25.47 172.5 426.5	52.43 iMF 4.722 163.1 493.6 800.4 0.118 0.430 40.95 199.1 0.097 3.644 28.18 1.180 iMF 2.638	423 91 387 2285 5595 9455 78 350 2178 5441 9242 - - - - 8878 8878 96 381 2269 5417	230 76 375 2151 5670 9307 74 367 2131 5577 9209 - - - - - - - - - - - - -	1289 Standard in 97 409 2335 5703 9559 84 367 2227 5547 9364 - - - 9051 Standard in 105 400 2313 5496	3319 pplementation 99 457 2369 5978 98 448 2345 5942 9641 - - - 9357 plementation 120 418 2341 6160
24 48 96 01 24	1000 NA 1 100 200 500 800 1000 200 500 800 1000 1000 800 1000 800 1000 800 1000 800 1000 800 1000 500 800 1000	4855 3287 7123 18851 28812 28812 2816 6050 9462 14397 18529 2816 6050 5261 7261 7261 7261 7261 7261 7261 7261 7	0.701 LP1 0.555 1.138 0.305 0.222 2.638 0.576 1.013 0.659 0.388 0.039 0.478 1.164 0.868 1.305 LP1 0.305 0.805 0.805 0.305 0.472	V / iZO / m1 0.138 2.555 0.118 0.430 0.347 3.763 0.097 0.727 0.722 1.180 V iZO / m1 0.722 0.722 0.388	411 P 87 385 2264 5587 9429 78 350 2176 5438 9225 - - - 8878 P 96 381 2269 5418 8863	180 75 373 2161 5638 9289 74 367 2125 5581 9199 - - - - 8921 - - 8921 94 354 2186 5897 8754	4819 3229 7099 18756 28735 36856 2816 6050 9382 14381 18432 2816 6050 5261 7192 16429 	58.18 6.055 24.72 175.9 501.7 839.8 0.576 1.013 42.28 121.2 207.6 0.039 0.472 13.12 29.18 1.305 3.972 25.47 172.5 426.5 782.2	52.43 iMF 4.722 163.1 493.6 800.4 0.118 0.430 40.95 199.1 0.097 3.644 28.18 1.180 iMF 2.638 23.80 422.2	423 91 387 2285 5595 9455 78 350 2178 5441 9242 - - - - - - - 8878 9242 - - - - - 8878 96 381 2269 5417 8887	230 76 375 2151 5670 9307 74 367 2131 5577 9209 - - - - - 8921 95 353 2157 5904 8779	1289 Standard in 97 409 2335 5703 9559 84 367 2227 5547 9364 - - - 9364 - - - 9364 - 105 Standard in 105 400 2313 5496 88969	3319 pplementation 99 457 2369 5978 9682 98 448 2345 5942 9641 - - - 9357 pplementation 120 418 2341 6160 9077
24 48 96	1000 NA 1 100 200 500 800 1000 200 500 800 1000 1000 1000 800 1000 800 1000 NA 2 1000 800 1000 S00 800 1000 500 800 1000	4855 3287 7123 18851 28812 36950 2816 6050 9462 14397 18529 2816 6050 5261 16429 3584 7295 19498 29095 36771 2452	0.701 LP1 0.555 1.138 0.305 0.222 2.638 0.576 1.013 0.576 1.013 0.576 1.013 0.576 1.013 0.576 1.013 0.579 0.388 1.305 0.472 1.164 0.868 1.305 0.805 0.305 0.305 0.305 0.305 0.305 0.305 0.305 0.305 0.305 0.305 0.305 0.305	<ul> <li>I / iZO / m1</li> <li>0.138</li> <li>2.555</li> <li>0.118</li> <li>0.430</li> <li>0.347</li> <li>0.347</li> <li>0.347</li> <li>0.763</li> <li>0.097</li> <li>0.727</li> <li>0.727</li> <li>1.180</li> <li>I / iZO / m1</li> <li>0.722</li> <li>0.388</li> <li>0.159</li> </ul>	411 TP 87 385 2264 5587 9429 7429 2176 5438 350 2176 5438 9225	180 75 373 2161 5638 9289 74 367 2125 5581 9199 - - - - 8921 - - - 8921 - - - 8921 - - - 8921 - - - - 8897 8754 2186	4819 3229 7099 18756 28735 36856 2816 6050 9382 14381 18432 2816 6050 5261 18432 2816 6050 5261 7192 16429 	58.18 6.055 24.72 175.9 501.7 839.8 0.576 1.013 42.28 121.2 207.6 0.039 0.472 13.12 207.6 0.039 0.472 13.12 29.18 1.305 3.972 25.47 172.5 426.5 782.2 3.076	52.43 iMF 4.722 163.1 493.6 800.4 0.118 0.430 40.95 	423 91 387 2285 5595 9455 78 350 2178 541 9242 - - - - - 8878 96 381 2269 5417 8887 90	230 76 375 2151 5670 9307 74 367 2131 5577 9209 - - - - - - - - - - - - -	1289 Standard in 97 409 2335 5703 9559 84 367 2227 5547 9364 - - - 9051 Standard in 105 400 2313 5496 8969 92	3319 plementation 99 457 2369 5978 9682 98 448 2345 5942 9641 - - - 9357 plementation 120 418 2341 6160 9077 119
24 48 96 01 24	1000 NA 1 100 200 500 800 1000 200 500 800 1000 1000 1000 1000 1000 1000	4855 3287 7123 18851 28812 36950 2816 6050 9462 14397 18529 2816 6050 5261 7261 16429 3584 7295 19498 29095 36771 2452 5512	0.701 LP1 0.555 1.138 0.305 0.222 2.638 0.576 1.013 0.659 0.388 4.388 4.388 0.039 0.472 1.164 0.868 1.305 LP1 0.305 0.805 0.305 0.305 0.472 0.305 0.472 0.305	V / iZO / m1 0.138 2.555 0.118 0.430 0.347 3.763 0.097 0.727 0.722 1.180 V iZO / m1 0.722 0.722 0.388	411 TP 87 385 2264 5587 9429 78 350 2176 5438 9225 - - - - 8878 TP 96 381 2269 5418 8863 85 347	180 75 373 2161 5638 9289 74 367 2125 5581 9199 - - - - 8921 - 8921 - 8921 94 354 2186 5897 8754 92 2348	4819 3229 7099 18756 28735 36856 2816 6050 9382 2816 6050 5261 7192 16429 3470 7219 19433 29004 36729 2452 5512	58.18 6.055 24.72 175.9 501.7 839.8 0.576 0.576 0.039 0.472 13.12 29.18 1.305 3.972 25.47 172.5 426.5 782.2 3.076	52.43 iMF 4.722 163.1 493.6 800.4 0.118 0.430 40.95 199.1 0.097 3.644 28.18 1.180 iMF 2.638 23.80 422.2 0.159 0.388	423 91 387 2285 5595 9455 78 350 2178 5441 9242 - - - - - 8878 96 381 2269 5417 8887 996 381	230 76 375 2151 5670 9307 74 367 2131 5577 9209 - - - - - - - 8921 95 353 2157 5904 8779 948	1289 Standard in 97 409 2335 5703 9559 84 367 2227 5547 9364 - - 9051 Standard in 105 400 2313 5496 8969 92 365	3319 plementation 99 457 2369 5978 9682 98 448 2345 5942 9641 - - 9357 plementation 120 418 2341 6160 9077 119 411
24 48 96 01 24	1000 NA 1 100 200 500 1000 100 200 500 800 1000 100 200 500 800 1000 NA 2 100 200 500 800 1000 1000 1000 500 500	4855 3287 7123 18851 28812 36950 2816 6050 9462 14397 18529 2816 6050 5261 7261 16429 3584 7295 36771 2452 536771 2452 59806	0.701 LP1 0.555 1.138 0.305 0.222 2.638 0.576 1.013 0.659 0.388 4.388 0.039 0.472 1.164 0.868 1.305 0.805 0.805 0.305 0.472 0.222 0.368 0.472 0.222 0.368 0.479	C / iZO / m <sup>3</sup> 0.138 2.555 0.118 0.430 0.347 0.347 0.347 0.722 1.180 C / iZO / m <sup>3</sup> 0.722 0.722 0.388 0.159 0.388	411 P 87 385 2264 5587 9429 78 350 2176 5438 9225 - - - 8878 P 96 381 2269 5418 8863 85 347 2177	180 75 373 2161 5638 9289 74 367 2125 5581 9199 - - - - 8921 - - - 8921 - - - 8921 94 354 2186 5897 8754 92 348 2150	4819 3229 7099 18756 28735 36856 2816 6050 9382 14381 18432 2816 6050 5261 7192 16429 3470 7219 19433 29004 36729 2452 5512 29024	58.18 6.055 24.72 175.9 501.7 839.8 0.576 1.013 42.28 121.2 207.6 0.039 0.472 13.12 29.18 1.305 3.972 25.47 172.5 426.5 782.2 3.076 0.763 782.2 3.076	52.43 iMF 4.722 163.1 493.6 800.4 0.118 0.430 40.95 	423 91 387 2285 5595 9455 78 350 2178 5441 9242 - - - - - - - - - - - - - - - - - -	230 76 375 2151 5670 9307 74 367 2131 5577 9209 - - - 8921 - - 8921 - - - 8921 95 353 2157 5904 8779 94 348 2152	1289 Standard in 97 409 2335 5703 9559 84 367 2227 5547 9364 - - - - 9051 Standard in 105 400 2313 5496 8969 92 365 2236	3319 pplementation 99 457 2369 5978 9682 98 448 2345 5942 9641 - - - 9357 pplementation 120 418 2341 6160 9077 119 411 2321
24 48 96 01 24	1000 NA 1 100 200 500 800 1000 200 500 800 1000 1000 200 500 800 1000 1000 200 500 800 1000 1000 200 500 800 800	4855 3287 7123 18851 28812 2816 6050 9462 14397 18529 2816 6050 5261 16429 2816 6050 5261 16429 7261 16429 3584 7295 19498 29095 36771 2452 5512 9806 14549	0.701 LP1 0.555 1.138 0.305 0.222 2.638 0.576 1.013 0.659 0.388 0.039 0.472 1.164 0.868 1.305 0.805 0.305 0.805 0.325 0.325 0.325 0.325 0.325 0.325 0.325 0.325 0.325 0.325 0.325 0.325 0.325 0.325 0.325 0.325 0.325 0.325 0.335 0.335 0.335 0.335 0.335 0.335 0.335 0.335 0.335 0.335 0.335 0.335 0.335 0.335 0.335	<ul> <li>I / iZO / m1</li> <li>0.138</li> <li>2.555</li> <li>0.118</li> <li>0.430</li> <li>0.347</li> <li>0.347</li> <li>0.347</li> <li>0.763</li> <li>0.097</li> <li>0.727</li> <li>0.727</li> <li>1.180</li> <li>I / iZO / m1</li> <li>0.722</li> <li>0.388</li> <li>0.159</li> </ul>	411 P 87 385 2264 5587 9429 78 350 2176 5438 9225 - - - 8878 P 96 381 2269 5418 8863 85 347 2177	180 75 373 2161 5638 9289 74 367 2125 5581 9199 - - - 8921 - 8921 - 8921 94 354 2186 5893 8754 92 348 2150 5848	4819 3229 7099 18756 28735 36856 2816 6050 9382 14381 18432 2816 6050 9382 14381 18432 2816 6050 5261 7192 16429 19433 29004 3470 7219 19433 29004 36729 2452 5512 9727 14505	58.18 6.055 24.72 175.9 501.7 839.8 0.576 1.013 42.28 121.2 207.6 0.039 0.472 13.12 29.18 1.305 3.972 25.47 172.5 426.5 782.2 3.076 0.763 40.99 107.2	52.43 iMF 4.722 163.1 493.6 800.4 0.118 0.430 40.95 199.1 0.097 3.644 28.18 1.180 iMF 2.638 23.80 422.2 0.159 0.388	423 91 387 2285 5595 9455 78 350 2178 5441 9242 - - - - - - 8878 9242 - - - - - 8878 96 381 2269 5417 8887 90 347 2185 5283	230 76 375 2151 5670 9307 74 367 2131 5577 9209 - - 8921 - 8921 95 353 2157 5904 8779 94 348 2152 5863	1289 Standard in 97 409 2335 5703 9559 84 367 2227 5547 9364 - - - 9051 Standard in 105 400 2313 5496 8969 92 365 2236 5382	3319 plementation 99 457 2369 5978 9682 98 448 2345 5942 9641 - - - 9357 plementation 120 418 2341 6160 9077 119 411 2321 6141
24 48 96 D1 24 48	1000 NA 1 100 200 500 800 1000 200 500 800 1000 1000 200 500 800 1000 NA 2 1000 800 1000 500 800 1000 200 500 800 1000	4855 3287 7123 18851 28812 36950 2816 6050 9462 14397 18529 2816 6050 5261 16429 2816 6050 5261 16429 3584 7295 19498 29095 36771 2452 5512 9806 14549 18411	0.701 LP1 0.555 1.138 0.305 0.222 2.638 0.576 1.013 0.576 1.013 0.559 0.388 4.388 0.039 0.472 1.164 0.868 1.305 LP1 0.305 0.30	C / iZO / m <sup>3</sup> 0.138 2.555 0.118 0.430 0.347 0.347 0.347 0.722 1.180 C / iZO / m <sup>3</sup> 0.722 0.722 0.388 0.159 0.388	411 P 87 385 2264 5587 9429 78 350 2176 5438 9225	180 75 373 2161 5638 9289 74 367 2125 5581 9199 - - - - 8921 - - - 8921 - - - 8921 - - - 8921 - - - 8921 - - - 854 824 8597 8754 8754 8754 8754 8754 8754 875 875 875 875 875 875 875 875 875 875	4819 3229 7099 18756 28735 36856 2816 6050 9382 14381 18432 2816 6050 5261 8432 2816 6050 5261 7192 16429 	58.18 6.055 24.72 175.9 501.7 839.8 0.576 1.013 42.28 121.2 207.6 0.039 0.472 13.12 29.18 1.305 3.972 25.47 172.5 426.5 782.2 3.076 0.763 40.99 107.2 190.8	52.43 iMF 4.722 163.1 493.6 800.4 0.118 0.430 40.95 199.1 0.097 3.644 28.18 1.180 iMF 2.638 23.80 422.2 0.159 0.388	423 91 387 2285 5595 9455 78 350 2178 5441 9242 - - - - - - - - - - - - - - - - - -	230 76 375 2151 5670 9307 74 367 2131 5577 9209 - - - - - - - - - - - - -	1289 Standard in 97 409 2335 5703 9559 84 367 2227 5547 9364 - - 9364 - - 9051 Standard in 105 400 2313 5496 8969 92 365 2236 5382 8795	3319 plementation 99 457 2369 5978 9682 98 448 2345 5942 9641 - - 9357 plementation 120 418 2341 6160 9077 119 411 2321 6141 9047
24 48 96 01 24	1000 NA 1 100 200 500 800 1000 200 500 800 1000 1000 1000 1000 1000 1000	4855 3287 7123 18851 28812 36950 2816 6050 9462 14397 18529 2816 6050 5261 7261 16429 3584 7295 19498 29095 36771 2452 5512 9806 14549 18411 2452	0.701 LP1 0.555 1.138 0.305 0.222 2.638 0.576 1.013 0.659 0.388 4.388 4.388 0.039 0.472 1.164 0.868 1.305 LP1 0.305 0.805 0.305 0.472 0.305 0.305 0.472 0.305 0.472 0.363 0.409 0.388 0.763 0.409	C / iZO / m] 0.138 2.555 0.118 0.430 0.347 3.763 0.097 0.722 1.180 C / iZO / m] 0.722 1.180 C / iZO / m] 0.722 0.388 0.305	411 P 87 385 2264 5587 9429 78 350 2176 5438 9225	180 75 373 2161 5638 9289 74 367 2125 5581 9199 - - - - 8921 - - - 8921 94 354 2186 5897 8754 2186 5897 8754 8754 8754 848 2150 5848 2150	4819 3229 7099 18756 28735 36856 2816 6050 9382 2816 6050 5261 7192 16429 3470 7219 19433 29004 36729 2452 5512 9727 14505 18368 2452	58.18 6.055 24.72 175.9 501.7 839.8 0.576 0.576 0.039 0.472 13.12 29.18 1.305 3.972 25.47 172.5 426.5 782.2 3.076 0.763 40.99 107.2 190.8	52.43 iMF 4.722 163.1 493.6 800.4 0.118 0.430 40.95 199.1 0.097 3.644 28.18 1.180 iMF 2.638 23.80 422.2 0.159 0.388 38.32	423 91 387 2285 5595 9455 78 350 2178 5441 9242 - - - - - - - 8878 96 381 2269 5417 8878 90 347 2185 5283 8688	230 76 375 2151 5670 9307 74 367 2131 5577 9209 - - - 8921 95 353 2157 5904 8779 94 348 2152 5863 8708 -	1289 Standard in 97 409 2335 5703 9559 84 367 2227 5547 9364 - - - 9051 Standard in 105 400 2313 5496 8969 92 365 2236 5382 8795 -	3319 plementation 99 457 2369 5978 9682 98 448 2345 5942 9641 - - - 9357 plementation 120 418 2341 6160 9077 119 411 2321 6141 9047 -
24 48 96 D1 24 48	1000 NA 1 100 200 500 800 1000 200 500 800 1000 1000 1000 800 1000 800 1000 1000 500 800 1000 10	4855 3287 7123 18851 28812 36950 2816 6050 9462 14397 18529 2816 6050 5261 7261 16429 3584 7295 36771 2452 5312	0.701 LP1 0.555 1.138 0.305 0.222 2.638 0.576 1.013 0.659 0.388 4.388 0.039 0.472 1.164 0.868 1.305 0.805 0.805 0.805 0.805 0.402 0.472 0.222 0.368 0.476 0.472 0.222 0.368 0.476 0.473 0.409 0.388 0.395 0.409 0.388 0.395 0.405 0.405 0.405 0.403 0.513 0.513 0.513 0.513 0.513 0.513 0.555 0.55	<ul> <li>r / iZO / m<sup>2</sup></li> <li>0.138</li> <li>2.555</li> <li>0.118</li> <li>0.430</li> <li>0.347</li> <li>3.763</li> <li>0.097</li> <li>0.722</li> <li>1.180</li> <li>r / iZO / m<sup>2</sup></li> <li>0.388</li> <li>0.159</li> <li>0.388</li> <li>0.305</li> <li>0.097</li> </ul>	411 P 87 385 2264 5587 9429 78 350 2176 5438 9225	180 75 373 2161 5638 9289 74 367 2125 5581 9199 - - - - 8921 - - - 8921 - - - 8921 - - - 8921 94 354 2186 5897 8754 92 348 8696 - -	4819 3229 7099 18756 28735 36856 2816 6050 9382 14381 18432 2816 6050 5261 7192 16429 3470 7219 19433 29004 36729 2452 5512	58.18           6.055           24.72           175.9           501.7           839.8           0.576           1.013           42.28           207.6           0.039           0.472           13.12           29.18           1.305           3.972           25.47           172.5           426.5           782.2           3.076           0.763           0.763           0.039           107.2           190.8           0.039           0.513	52.43 iMF 4.722 163.1 493.6 800.4 0.18 0.430 40.95 199.1 0.097 3.644 28.18 1.180 iMF 2.638 23.80 422.2 0.159 0.388 38.32 0.097	423 91 387 2285 5595 9455 78 350 2178 5441 9242 - - - - - - - - - - - - - - - - - -	230 76 375 2151 5670 9307 74 367 2131 5577 9209 - - - 8921 - - 8921 - - - 8921 - - - - - - - - - - - - -	1289 Standard in 97 409 2335 5703 9559 84 367 2227 5547 9364 - - - 9051 Standard in 105 400 2313 5496 8969 92 365 2236 5382 8795 - - - - - - - - - - - - -	3319 pplementation 99 457 2369 5978 9682 98 448 2345 5942 9641 - - - 9357 pplementation 120 418 2341 6160 9077 119 411 2321 6141 9047 - - - - - - - - - - - - -
24 48 96 D1 24 48	1000 NA 1 100 200 500 800 1000 200 500 800 1000 1000 200 500 800 1000 1000 200 500 800 1000 1000 100 200 500 800 1000 100 200 500 800 1000 200 500 800 1000 500 800 1000 500 800 500 800 1000 500 800 1000 10	4855 3287 7123 18851 28812 28812 2816 6050 9462 14397 18529 2816 6050 5261 7261 16429 2816 6050 5261 7261 16429 3584 7295 19498 29095 36771 2452 5512 9806 14549 18541 2452 5512 5170	0.701 LP1 0.555 1.138 0.305 0.222 2.638 0.576 1.013 0.659 0.388 0.039 0.472 1.164 0.868 1.305 0.805 0.305 0.805 0.305 0.	<ul> <li>I / iZO / m1</li> <li>0.138</li> <li>2.555</li> <li>0.118</li> <li>0.430</li> <li>0.347</li> <li>0.347</li> <li>0.347</li> <li>0.763</li> <li>0.097</li> <li>0.722</li> <li>1.180</li> <li>I / iZO / m1</li> <li>0.722</li> <li>0.388</li> <li>0.305</li> <li>0.097</li> <li>0.394</li> </ul>	411 P 87 385 2264 5587 9429 78 350 2176 5438 9225 8878 P 96 381 2269 5418 8863 85 347 2177 8682	180 75 373 2161 5638 9289 74 367 2125 5581 9199 - - - - 8921 - - - 8921 94 354 2186 5897 8754 2186 5897 8754 8754 8754 848 2150 5848 2150	4819 3229 7099 18756 28735 36856 2816 6050 9382 14381 18432 2816 6050 5261 7192 16429 16429 19433 29004 3470 7219 19433 29004 36729 2452 5512 9727 14505 18368 2452 55170	58.18 6.055 24.72 175.9 501.7 839.8 0.576 1.013 42.28 121.2 207.6 0.039 0.472 13.12 29.18 1.305 3.972 25.47 172.5 426.5 782.2 3.076 0.763 40.99 107.2 100.8 0.039 0.576 1.013 1.015 1.	52.43 iMF 4.722 163.1 493.6 800.4 0.118 0.430 40.95 	423 91 387 2285 5595 9455 78 350 2178 5441 9242 - - - - - - - 8878 96 381 2269 5417 8878 90 347 2185 5283 8688	230 76 375 2151 5670 9307 74 367 2131 5577 9209 - - - 8921 95 353 2157 5904 8779 94 348 2152 5863 8708 -	1289 Standard in 97 409 2335 5703 9559 84 367 2227 5547 9364 - - 9364 - - 9364 - - 9364 - - 9364 - - 9364 - - 9364 - - 9364 - - - 9364 - - - 9364 - - - - - - - - - - - - -	3319 plementation 99 457 2369 5978 9682 98 448 2345 5942 9641 - - - 9357 plementation 120 418 2341 6160 9077 119 411 2321 6141 9047 - - - - - - - - - - - - -
24 48 96 D1 24 48	1000 NA 1 100 200 500 800 1000 200 500 800 1000 1000 1000 800 1000 800 1000 800 1000 1000 500 800 1000 10	4855 3287 7123 18851 28812 36950 2816 6050 9462 14397 18529 2816 6050 5261 7261 16429 3584 7295 36771 2452 5312	0.701 LP1 0.555 1.138 0.305 0.222 2.638 0.576 1.013 0.659 0.388 4.388 0.039 0.472 1.164 0.868 1.305 0.805 0.805 0.805 0.805 0.402 0.472 0.222 0.368 0.476 0.472 0.222 0.368 0.476 0.473 0.409 0.388 0.395 0.409 0.388 0.395 0.405 0.405 0.405 0.403 0.513 0.513 0.513 0.513 0.513 0.513 0.555 0.55	<ul> <li>r / iZO / m<sup>3</sup></li> <li>0.138</li> <li>2.555</li> <li>0.118</li> <li>0.430</li> <li>0.347</li> <li>3.763</li> <li>0.097</li> <li>0.722</li> <li>1.180</li> <li>r / iZO / m<sup>3</sup></li> <li>0.722</li> <li>0.388</li> <li>0.159</li> <li>0.388</li> <li>0.305</li> <li>0.097</li> </ul>	411 P 87 385 2264 5587 9429 78 350 2176 5438 9225	180 75 373 2161 5638 9289 74 367 2125 5581 9199 - - - - 8921 - - - 8921 - - - 8921 - - - 8921 94 354 2186 5897 8754 92 348 8696 - -	4819 3229 7099 18756 28735 36856 2816 6050 9382 14381 18432 2816 6050 5261 7192 16429 3470 7219 19433 29004 36729 2452 5512	58.18           6.055           24.72           175.9           501.7           839.8           0.576           1.013           42.28           207.6           0.039           0.472           13.12           29.18           1.305           3.972           25.47           172.5           426.5           782.2           3.076           0.763           0.763           0.039           107.2           190.8           0.039           0.513	52.43 iMF 4.722 163.1 493.6 800.4 0.18 0.430 40.95 199.1 0.097 3.644 28.18 1.180 iMF 2.638 23.80 422.2 0.159 0.388 38.32 0.097	423 91 387 2285 5595 9455 78 350 2178 5441 9242 - - - - - - - - - - - - - - - - - -	230 76 375 2151 5670 9307 74 367 2131 5577 9209 - - - 8921 - - 8921 - - - 8921 - - - - - - - - - - - - -	1289 Standard in 97 409 2335 5703 9559 84 367 2227 5547 9364 - - - 9051 Standard in 105 400 2313 5496 8969 92 365 2236 5382 8795 - - - - - - - - - - - - -	3319 pplementation 99 457 2369 5978 9682 98 448 2345 5942 9641 - - - 9357 pplementation 120 418 2341 6160 9077 119 411 2321 6141 9047 - - - - - - - - - - - - -




Figure 2. Human protein sequences length distribution. Five proteins that are longer than 9000 amino acids are not shown in the histogram.

distribution strategy and the scheduling heuristics including vIC improvement. The results are depicted in Table II.

Across all test configurations, LPT, iZO, and mTP returned identical results. This suggests that partition interchange and/or exchange as implemented in iZO and mTP does outperform LPT in our experiments. Generally, iMF yielded a smaller makespan, but at the cost of a substantially larger per-core partition number variance. When we applied vIC, the variance could be further reduced without increasing the makespan in most of the cases. Nonetheless, the iMF partition number variance is still much larger than for other algorithms, even *after* applying vIC to correct for this. As indicated by our results, the processing times for iMF-based data distribution is still longer than for alternative approaches, because of the high partition number variance and despite the fact that the makespan is smaller.

With respect to absolute execution times, LPT (iZO and mTP) returned the best results. For one protein dataset (1000 partitions on 48 cores) under the CAT model of rate heterogeneity [20], we observed an 11-fold speedup with respect to the standard implementation. For protein data under the  $\Gamma$  model of rate heterogeneity [21] the average speedup is around two-fold. On the DNA datasets, we observe an average speedup of 1.386 under CAT model (see Figure 3) and 1.046 under  $\Gamma$  speed up.

The main reason for the differences between DNA and protein data is that matrix exponentiation of the  $20 \times 20 Q$ matrix is substantially more expensive than for the  $4 \times 4$ nucleotide substitution matrix. The difference between the CAT and  $\Gamma$  models of rate heterogeneity is due to the fact, that more Q matrix exponentiations are required per partition to obtain the transition probability matrices P for each persite rate category  $r_i$  (for details please see [20]). Overall, the expected performance improvements depend on the ratio of




Figure 3. Execution times for 500 DNA data partitions under the CAT model (DNA 1).

CPU cycles required for exponentiating the Q matrix and for computing Equation 1.

The iMF-based partition distribution is always slower than LPT (iZO and mTP) because of the large variances. See, for instance, protein dataset 2 with 500 partitions on 24 cores where iMF returned a makespan of 10,603 and LPT( iZO and mTP) a makespan of 10,647 site patterns. However, the partition number variance of iMF is 276.9 compared to a variance of only 0.472 for LPT(iZO and mTP). Therefore, the iMF-based partition distribution is 28% slower than the LPT(iZO and mTP)-based approach under the CAT model of rate heterogeneity. With respect to parallel scalability, the standard implementation (cyclic distribution of sites) scales poorly above 4 cores, while the LPT(iZO and mTP)-based parallelization scales well, in particular on large protein data sets under the CAT model (see Figure 4).

The simple LPT heuristics, return the best results in our test data. This is not only because it can distribute the processing time (number of site patterns) evenly among cores, but also because it assigns an approximately equal number of partitions to each core. Thus, each core calculates the likelihood vector entries on approximately the same number of site patterns and computes roughly the same number of P matrices. iMultifit did not perform well, despite the fact that it can distribute the sites more evenly among cores than LPT. This is because iMultifit assigns few large partitions to cores with the lower index number, and many, small partitions to cores with higher index numbers. Therefore, cores with higher index numbers need to calculate many more P matrices such that the load balance actually becomes worse. Hence, more elaborate heuristics than LPT, did not substantially improve the makespan. This may be due to the distribution of human gene lengths we sampled from to obtain partition lengths and the limited number of data




Figure 4. Speedup of LPT+vIC over the standard implementation (cyclic distribution of sites) for 1000 protein data partitions under the CAT model (Protein dataset 2).

sets we tested. One may expect more elaborate heuristics to improve the makespan when there is a large number of very small jobs. However, one important result from our study is that, the simple LPT heuristics that are easy to implement already yield substantial performance improvements.

In general, multiprocessor scheduling algorithms for partitions should be used and implemented for cases where  $p \gg n$ . In cases where the largest partitions is greater than the average completion time  $C = \sum_{i=1}^{n} C_i/n$ , the makespan will be dominated by this partition and the code will hence not scale well. One such example is the protein dataset 1 with 100 partitions.

### VI. CONCLUSION & FUTURE WORK

To the best of our knowledge, this paper is the first to describe the analogy of the multi-processor scheduling problem to load balance issues in large parallel partitioned phylogenetic analyses. Essentially, the phylogenetic scheduling/data distribution problem represents a bi-criterion problem, since the number of sites *and* partitions assigned to each core needs to be balanced.

We show that, the simple and fast-to-compute LPT heuristics work well for solving the load balance problem. LPT has already been integrated into the production-level version of RAxML-Light. Moreover, we show that, parallel execution times can be improved by up to one order of magnitude for partitioned protein datasets under the CAT model of rate heterogeneity when partitions are distributed monolithically to cores using LPT. The techniques we have developed and assessed here, can be generally applied to all likelihood function implementations (Bayesian and Maximum Likelihood inference) that exploit the intrinsic parallelism of the PLF at a fine-grain level. With respect to future work, we intend to integrate a mechanism in RAxML that will automatically and adaptively determine whether cyclic or monolithic scheduling shall be deployed. Moreover, we will work on fine-tuning and further optimizing load balance by allowing for a mix of cyclic as well as monolithic data distribution of sites/partitions to cores. The problems that we will encounter in this context are similar to the multi-processor scheduling problem *with* preemption.

#### ACKNOWLEDGMENT

Part of this work was supported by the Graduate School for Computing in Medicine and Life Sciences funded by Germanys Excellence Initiative (DFG GSC 235/1) and by a visiting PhD student scholarship of the Heidelberg Institute for Theoretical Studies.

#### REFERENCES

- J. Felsenstein, "Evolutionary trees from DNA sequences: a maximum likelihood approach," J. Mol. Evol., vol. 17, pp. 368–376, 1981.
- [2] M. Ott, J. Zola, A. Stamatakis, and S. Aluru, "Large-scale maximum likelihood-based phylogenetic analysis on the ibm bluegene/l," in *Proceedings of the 2007 ACM/IEEE conference on Supercomputing*. ACM, 2007, p. 4.
- [3] A. Stamatakis and M. Ott, "Exploiting fine-grained parallelism in the phylogenetic likelihood function with mpi, pthreads, and openmp: A performance study," *Pattern Recognition in Bioinformatics*, pp. 424–435, 2008.
- [4] D. L. Ayres, A. Darling, D. J. Zwickl, P. Beerli, M. T. Holder, P. O. Lewis, J. P. Huelsenbeck, F. Ronquist, D. L. Swofford, M. P. Cummings, A. Rambaut, and M. A. Suchard, "Beagle: an application programming interface and high-performance computing library for statistical phylogenetics," *Systematic Biology*, 2011.
- [5] R. Graham, E. Lawler, J. Lenstra, and A. Kan, "Optimization and approximation in deterministic sequencing and scheduling: a survey," *Annals of discrete Mathematics*, vol. 5, no. 2, pp. 287–326, 1979.
- [6] D. Johnson and M. Garey, "Computers and intractability: A guide to the theory of np-completeness," *Freeman&Co, San Francisco*, 1979.
- [7] M. DellAmico and S. Martello, "Optimal scheduling of tasks on identical parallel processors," ORSA Journal on Computing, vol. 7, no. 2, pp. 191–200, 1995.
- [8] E. Mokotoff, "An exact algorithm for the identical parallel machine scheduling problem," *European Journal of Operational Research*, vol. 152, no. 3, pp. 758–769, 2004.
- [9] R. Graham, "Bounds for certain multiprocessing anomalies," *Bell System Technical Journal*, vol. 45, no. 9, pp. 1563–1581, 1966.

- [10] G. Finn and E. Horowitz, "A linear time approximation algorithm for multiprocessor scheduling," *BIT Numerical Mathematics*, vol. 19, no. 3, pp. 312–320, 1979.
- [11] E. Coffman Jr., M. Garey, and D. Johnson, "An application of bin-packing to multiprocessor scheduling," *SIAM Journal* on Computing, vol. 7, pp. 1–17, 1978.
- [12] M. Gualtieri, P. Pietramala, and F. Rossi, "Heuristic algorithms for scheduling jobs on identical parallel machines via measures of spread," *IAENG International Journal of Applied Mathematics*, vol. 39, 2009.
- [13] G. Paletta and F. Vocaturo, "A composite algorithm for multiprocessor scheduling," *Journal of Heuristics*, vol. 17, no. 3, pp. 281–301, 2011.
- [14] L. Tang and J. Luo, "A new ils algorithm for parallel machine scheduling problems," *Journal of Intelligent Manufacturing*, vol. 17, no. 5, pp. 609–619, 2006.
- [15] E. Hou, R. Hong, and N. Ansari, "Efficient multiprocessor scheduling based on genetic algorithms," in *Industrial Electronics Society*, 1990. IECON'90., 16th Annual Conference of IEEE. IEEE, 1990, pp. 1239–1243.

- [16] A. Stamatakis and M. Ott, "Load balance in the phylogenetic likelihood kernel," in *Parallel Processing*, 2009. ICPP'09. International Conference on. IEEE, 2009, pp. 348–355.
- [17] M. Langston, "Improved 0/1-interchange scheduling," BIT Numerical Mathematics, vol. 22, no. 3, pp. 282–290, 1982.
- [18] C. Lee and J. David Massey, "Multiprocessor scheduling: combining lpt and multifit," *Discrete applied mathematics*, vol. 20, no. 3, pp. 233–242, 1988.
- [19] W. Fletcher and Z. Yang, "Indelible: a flexible simulator of biological sequence evolution," *Molecular biology and evolution*, vol. 26, no. 8, pp. 1879–1888, 2009.
- [20] A. Stamatakis, "Phylogenetic models of rate heterogeneity: a high performance computing perspective," in *Parallel and Distributed Processing Symposium*, 2006. IPDPS 2006. 20th International. Ieee, 2006, pp. 8–pp.
- [21] Z. Yang, "Maximum likelihood phylogenetic estimation from DNA sequences with variable rates over sites," *J. Mol. Evol.*, vol. 39, pp. 306–314, 1994.